

Safety data sheet according to 1907/2006/EC (REACH)

Printing date 28.04.2014 Rev. 1 Revision: 28.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: LITOCEM PRONTO

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Premixed cement screed

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

LITOKOL S.p.A.

Via G.Falcone, 13/1

42048 Rubiera (RE) - Italia

Tel. +39 0522 626391 - Fax. +39 0522 620150

· Further information obtainable from:

LITOKOL S.p.A. - Tel. +39 0522 626391

e-mail: laboratorio@litokol.it

1.4 Emergency telephone number:

LITOKOL SpA - Tel. +39 0522 622852 (monday-friday: 8.30-12.30 a.m., 2.00-6.00 p.m.)

CENTRI ANTIVELENI (h24 - information in italian):

Milano - Ospedale Niguarda - Tel. +39 02 66101029

Pavia - IRCCS Fondazione Maugeri - Tel. +39 0382 24444

Firenze - Azienda Ospedaliera Careggi - Tel. +39 055 4277238

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Cement, portland, chemicals Flue dust. Portland cement

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Safety data sheet according to 1907/2006/EC (REACH)

Printing date 28.04.2014 Rev. 1 Revision: 28.04.2014

Trade name: LITOCEM PRONTO

· Precautionary statements

(Contd. of page 1)

If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals	5-10%
	Xi R37/38-41; Xi R43	
Heg.nr.: 02-2119682167-31-XXXX	Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 68475-76-3	Flue dust, Portland cement	5-10%
EINECS: 270-659-9	Xi R37/38-41; X Xi R43	
Reg.nr.: 01-2119486767-17-0xxx	Eye Dam. 1, H318; 1 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

· Additional information:

For the wording of the listed risk phrases refer to section 16.

Portland cement (CAS: 65997-15-1)

The content of soluble Chromium (VI) is less than 0.0002% (2 ppm) by weight.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
 - Protective equipment:

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC (REACH)

Printing date 28.04.2014 Rev. 1 Revision: 28.04.2014

Trade name: LITOCEM PRONTO

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Prevent formation of dust.

Provide suction extractors if dust is formed.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles: Store in a cool location.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Protect from humidity and water.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
65997-15-1 Cement, portland, chemicals			
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust		
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m³ *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction		
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction		

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from tobacco products.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC (REACH)

Printing date 28.04.2014 Rev. 1 Revision: 28.04.2014

Trade name: LITOCEM PRONTO

· Respiratory protection:

(Contd. of page 3)



In case of insufficient ventilation or risk of dust inhalation, it can be used a facemask with a dust filter.

Filter FFP2

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

· Relative density

· Vapour density



Tightly sealed goggles

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· Appearance:	
Form:	Like powder
	Solid
· Colour:	Grey
· Odour:	Odourless
· Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
lgnition temperature:	
· Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C:	1.45 g/cm³
•	-

Not determined.

Not applicable.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC (REACH)

Printing date 28.04.2014 Rev. 1 Revision: 28.04.2014

Trade name: LITOCEM PRONTO

(Contd. of page 4)

• Evaporation rate Not applicable.

· Solubility in / Miscibility with

• water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable.Kinematic: Not applicable.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
 - · Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - · on the eye: Strong irritant with the danger of severe eye injury.
 - · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC (REACH)

Printing date 28.04.2014 Rev. 1 Revision: 28.04.2014

ade name: LITOCEM PRONTO		
		(Contd. of page 5
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
 - Other regulations, limitations and prohibitive regulations

The data and the informations reported in the present Material Safety Data Sheet are consistent to the Directives 1967/548/EEC, 1999/45/EC, 76/769/EEC, to the Regulation 1907/2006/EC (REACH), 1272/2008/EC (CLP) and to what prescribed by the in force regulation in matter of classification, packaging and labelling of dangerous substances and preparations. Anyway, it's recommended to the user the need to verify and to comply with the specific national and local laws in matter of hazardous activities and of environmental protection (e.g.: gassy, liquid and solid emissions), that aren't in the object of this document. Compilation of Safety Data Sheet: Reg.UE n.453/2010 (amending Reg.EC n.1907/2006, Annex II)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

· Contact: LITOKOL S.p.A.

Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Classification, Labelling and Packaging ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)